Complete Listing of the Claims:

1. -25. (Cancelled)

(Previously presented) A method of analyzing a target polynucleotide comprising:

- pretreating the surface of a substrate with a polyelectrolyte multiplayer Whitilayer (a) (PEM) to create surface chemistry that facilitates polynucleotide attachment and sequence analysis;
- (b) providing a primed target polynucleotide attached to a surface of a substrate;
- (c) providing a labeled first nucleotides to the attached target polynucleotide under conditions whereby the labeled first nucleotide attaches to the primer, if a complementary nucleotide is present to serve as template in the target polynucleotide;
- determining presence or absence of a signal, the presence of a signal (d) indicating that the labeled first nucleotide was incorporated into the primer, and hence the identity of the complementary base that served as a template in the target polynucleotide;
- repeating steps (c)-(d) with a labeled further nucleotide, the same or different from the first labeled nucleotide, whereby the labeled further nucleotide attaches to the primer or a nucleotide previously incorporated into the primer; and
- repeating step (e) until identities of the bases in a portion or all of the target polynucleotide are determined.

27. - 40. (Cancelled)

- 41. (Withdrawn) An apparatus for analyzing the sequence of a polynucleotide, comprising:
 - (a) a flow cell comprising at least one microfabricated synthesis channel; and
 - (b) an inlet port and an outlet port, said inlet port and outlet port being in fluid communication with said flow cell for flowing fluids into and through said flow cell.
- 42. (Withdrawn) The apparatus of claim 41, furthering comprising a detector to detect a signal from said surface.